


\* DIMENSIONS SHOWN ARE FOR 8" ONLY. DIMENSIONS MAY VARY SLIGHTLY BETWEEN APPROVED VENDORS.



NOTES:

1. STANDARD MONUMENT BOX SHALL BE CAST IRON WITH 8" MINIMUM INSIDE DIAMETER.
2. IF AN 8" MONUMENT BOX IS REQUIRED, USE OLYMPIC FOUNDRY #M1014, EAST JORDAN IRON WORKS #3614 OR APPROVED EQUAL.
3. IF A 12" MONUMENT BOX IS REQUIRED, USE OLYMPIC FOUNDRY #M1035, EAST JORDAN IRON WORKS #3673 OR APPROVED EQUAL.
4. MATCHING MONUMENT BOX COVER SHALL BE CAST IRON WITH "MON" OR "MONUMENT" CAST INTO THE TOP FACE.
5. NEW MANHOLES SHALL BE LOCATED A MINIMUM OF 4 FEET FROM CENTER OF ITS BASE TO MONUMENT BOX.
6. MONUMENT BOXES MUST MEET WASHINGTON COUNTY SURVEY STANDARDS AND ARE SUBJECT TO APPROVAL BY WASHINGTON COUNTY SURVEYOR.



STANDARD DRAWING TITLE		DRAWING NUMBER
MONUMENT BOX		RD-31
Any alteration of this drawing may not be associated in any way with the City of Sherwood Standard Drawings.	SCALE	DATE
	N.T.S.	MAR '16