

## Hugo Hamblin-Agosto

---

**From:** Rylan Phillips <rylan@buildingphillips.com>  
**Sent:** Tuesday, February 3, 2026 2:57 PM  
**To:** Hugo Hamblin-Agosto  
**Subject:** 16040 SW 3rd planning application  
**Attachments:** IMG\_2126.jpeg; IMG\_2128.jpeg

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you are expecting this email and/or know the content is safe.

Here is a basic sketch showing why the 1' change in gutter line is needed. Otherwise, water would shoot past the gutter and over the face of the barge rafter.

Sorry for the crude drawings. I'm out of town and don't have my computer.

Thank you for your help with this. I really appreciate it.




---

**From:** Rylan Phillips <rylan@buildingphillips.com>  
**Sent:** Thursday, January 8, 2026 8:04:25 PM  
**To:** Hugo Hamblin-Agosto <hamblinagostoh@sherwoodoregon.gov>  
**Subject:** Re: 16040 SW 3rd planning application

Hi Hugo, I'm checking in to see if I need to pay fees or anything. We are anxiously awaiting approval to proceed. Just making sure nothing is held up on our end.

Thank you,



Front Slope

24" Valley metal to carry water to gutters.

